StarPointe ACC's





Reviewed by:



Chelsea Whitney | Dropline Designs LLC <u>www.droplinedesigns.com</u>

1

TABLE OF CONTENTS

| ACC FEES & DEPOSIT | 4 |
|-----------------------------------------------------|---|
| REQUIRED SUBMITTALS | 4 |
| DESIGN & PERFORMANCE GUIDELINES | |
| Setbacks | Δ |
| Height | |
| ■ Size | |
| Foundation | , |
| Elevations- details & accents | |
| Siding | |
| Windows | |
| Front Door | |
| ■ Fascia | |
| ■ Soffit | |
| ■ Color | |
| ■ Roof | |
| Chimneys | |
| Solar Panels | |
| Rain Gutters & Lot Drainage | |
| Garages | |
| Driveways | |
| Lighting | |
| Landscape | |
| Fencing | |
| Detached Outbuildings | |
| Swimming Pools | |
| Sprinklers | |
| Utility Items | |
| Antennae/Satellite | |
| Trash & Recycle Bins | |
| Boats, Campers, etc | |
| ■ Signage | |

| Site Maintenance | 10 |
|---------------------------------|----------------------------------------|
| Construction Time | 11 |
| General Construction Conditions | 11,12 |
| Variances | 12 |
| APPLICATION FOR DESIGN REVIEW | 13 14 |
| ALL LICATION FOR DESIGN REVIEW | ······································ |

The ACC shall have full discretion in its interpretation of these standards and in granting waivers or variances provided such are consistent with the intent for all structures within StarPointe of the highest quality, character, and value to create a timeless and harmonious neighborhood.

| ACC Fees & | \$500 Plan Review Fee for interior lots | | |
|------------|-------------------------------------------------------------------------------------------------------------------------------|--|--|
| Deposit | \$1000 Plan Review Fee for rim lots | | |
| | Plans that are rejected and submitted three times or more will incur an | | |
| | additional review fee. | | |
| | Please email Dropline Designs at cwhitney@droplinedesigns.com to pay review | | |
| | fee and to send completed application and plans. | | |
| | | | |
| | Timely completion of improvements, per the Lot Purchase and Sale Agreement is | | |
| | the responsibility of the applicant. | | |
| Required | o Fees | | |
| Submittals | Completed/Signed Application, see pages 12 & 13. | | |
| | Site Plan – showing labels and dimensions, boundary, location of all | | |
| | proposed improvements, setbacks, easements, and sidewalk locations. | | |
| | Floor Plans – including square footage per floor. | | |
| | Elevations – all sides with proposed finish material descriptions. | | |
| | Roof Plan – showing masses, ridgelines, roof slopes, and pertinent | | |
| | dimensions. Show the location of roof drains or scuppers, as applicable. | | |
| | Landscape & Fencing Plan – showing layout, fencing materials, landscape | | |
| | materials, and plant materials. Call out sizes and quantities of plants. | | |
| | Plan can be professionally drawn, or hand drawn, if it is clear and | | |
| | detailed. | | |
| | *A deferred landscape plan may be submitted, however, an additional | | |
| | \$50 fee for deferment will be incurred. | | |
| | Drainage plan, required only for rim lots. | | |
| | Colors & Textures – include all proposed exterior finish materials and | | |
| | colors (must be submitted and approved prior to installation). | | |
| | Front door and garage door style to be shown either accurately or | | |
| | elevations or provide spec sheet of the door. | | |
| | Provide proposed exterior lighting specs and/or electrical plan | | |
| | delineating lighting locations and style. | | |
| Setbacks | Measured from property line (not back of sidewalk). Buyer is responsible to | | |
| | confirm setback standards in the City of Star. | | |
| | 7' Setback required at one and two story side yard for all single-family detached | | |
| | homes. | | |
| | *Garage doors that face (are parallel) to the street. Setbacks for garage walls | | |
| | that are not the vehicle door are the same as the dwelling setbacks. | | |
| Height | Maximum of 35' to roof peak or per zone requirements, whichever is more | | |
| | restrictive. | | |
| Size | Minimums: | | |
| | Interior lots: Single-level – 2,000 Sq. Ft.; Two-story – 2,800 Sq. Ft. | | |

 Two-story homes to have larger massing on the main floor to avoid a boxy look.

Rim lots: Single-level -2,800 Sq. Ft.; Two story homes permitted when the following design elements are met:

- Min. 3,200 sq. ft.
- 2/3rd of livable area to remain on the main floor.
- 2nd floor plan to articulate from the main floor plan.

ACC has final approval on massing and scale for all lots, special attention will be paid to rim lots.

Foundations

Elevation of footing must comply with City and Federal Codes

Elevations – details & accents:

Exterior elevations shall be evaluated on the overall character, depth, style and balance of the design. Elevations adjacent to streets and common areas shall include architectural details, breaks, windows, accents, pop-outs, consistent with the designated architectural style. Significant jogs and breaks in exterior walls are encouraged. Large expanses of flat, unbroken horizontal and vertical surfaces are prohibited. Special attention shall be given to details (e.g. columns, corbels, crown, exposed rafters, etc.) that are true to and essential to the designated architectural style are required. Transitional two-story or 1-1/2 story homes may be required on corner lots with the single-story portion adjacent to the side street.

Elevations of building that face streets and / or common areas to incorporate articulation through changes in two or more of the following: modulations (e.g. projections, recesses, step-backs, pop-outs), bays, banding, porches, balconies, material tyles, or other integrated architectural elements to break up monotonous wall plans and roof lines.

Home designs / layouts may be repeated within StarePointe on a limited basis as approved by the ACC. If a plan is repeated, it is encouraged to provide different elevation materials and colors. Repeated plans shall not be built within five lots of each other either in the horizonal or diagonal direction.

Siding

Subject to compatibility with the overall architectural style, each house shall incorporate accent materials such as stucco, stone, brick or other material enhancing the architectural style. Architectural and aesthetic balance shall be a primary concern in determining if and how much masonry is required. Masonry shall wrap corners for a minimum of 2' (corner lots to have stone wrap to fence or natural stopping point) and is highly encouraged to stop on an inside corner, especially if visible from street. If stucco is used the full exterior shall be stucco (except occasional accent areas) and shall include appropriate articulations (e.g. window accents, belly bands, and breaks in tall walls, etc.)

Lap Hardi Plank or LP true lap in similar or better-quality material, cedar shake, stucco, and/or board and batten is the standard for siding provided such is true to the architectural style. No cottage lap or vinyl siding.

| | Accent materials that deviate from these standard siding requirements may be approved by the ACC provided such are harmonious with the architectural style and deemed appropriate by ACC. |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | The ACC may require additional and/or upgraded siding, and/or landscaping, and/or other design elements at its discretion. |
| Windows | Aluminum clad, vinyl or high-end fiberglass. Front elevations are encouraged to incorporate unique window shapes and/or windows size pairings and/or grid patterns to create architectural appeal. |
| Front Door | Upgraded front doors are required and shall be appropriate in scale, material, and color to the rest of the front architecture. |
| Fascia | Fascia size and style (single or stacked) to match the overall architectural style. |
| Soffit | Hardi Plank, cedar, Smart Soffit, or other rich materials that match the approved architectural style is the standard. No vinyl. |
| Color | Exterior wall and trim colors require prior written approval by the ACC. Colors shall be in keeping with the overall aesthetic goals of the ACC. Paint colors should utilize natural tones or be neutral in color. Variations of darker or black siding may be permitted on a limited basis by the ACC. Black accents or window color may be approved by the ACC. |
| Roof | Breaks – Minimum of three roof breaks [planes] as seen from the front elevation. Minimum of 4 roof breaks [planes] at corner lots. Alternative design may be approved by the ACC if roof planes are cohesive with architectural style. No gravel or earthen roofs. Material – Roofs of enhanced or natural materials are encouraged. Accent roofs may incorporate true copper that shall patina, raised-seam metal, or other material with ACC approval Main roof surfaces: Minimum of Lifetime Dimensional/Architectural or better Hip and Ridge Caps: Minimum of High definition/ triple thickened edge/reveal. Color – Shall be appropriate to architectural style and subject to the discretion of the ACC. Roof penetrations shall be located on the rear elevation except where impractical and shall match the color tone of the roof. No penetrations shall be purely utilitarian in style or color. |
| Chimneys | Chimneys – shall be constructed of enhanced materials Caps – all caps shall be enhanced. No spark arrestors |
| Solar Panels | Approval by the ACC must be obtained prior to purchase and installation. Prohibited on the elevation facing the street. Such must match roof color. |
| Gutters & Lot Drainage | Complete rain gutter and downspouts installation is required and shall match the color of the material to which they are attached. The builder must manage water on the lot. Runoff shall be retained on-site or directed to the street or public drainage system and not towards adjoining lots. (driveways may discharge to the street). |

| Garages | As a minimum, each residential lot shall include an enclosed two-car garage. Side entry garage doors are encouraged. Garage doors shall not dominate the front elevation and architecture, Architectural Designs should de-emphasize the garage. |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Multiple garage doors shall not be on the same plane but shall incorporate a minimum 2' foundation jog. Garages preferred to be recessed a minimum of 2' behind the livable space where available. |
| | Garage door widths & heights: |
| | Interior lots may have one single garage door up to 14' in height. Garage doors greater than 8' to be setback a minimum 2' from standard garage. Rim Lots may have one single 12' to 14' high garage door when setback a minimum 6' from the from the standard garage. Garage doors less than 12' to be setback a minimum of 2' from standard garage. |
| | Two car garage doors heights are limited to 8' tall Where there are (2) 2-car garages one garage may face the street and the second 2-car garage will be required to be side entry. 4 car garages (in width) are not allowed. |
| | Garages with doors taller than 10' are subject to more detailed ACC review including, but not limited to: setbacks, prominence of tall (between 10' and 14') garage door, roof structure, proximity to other homes within StarPointe, etc. |
| | Garage doors taller than 14' are prohibited. Garage interiors shall include full sheetrock, tape, sanded and painted. Trim |
| Duinenne | around doors and windows shall be painted. |
| Driveways | Building lots are limited to one driveway cut at the street unless otherwise approved by the ACC. Driveways shall not extend more than two feet past the side of the garage doors. Efforts shall be taken to minimize the visual impact of driveways and shall include enhanced materials (e.g., narrowing of the driveway in the grass/tree strip, stone, pavers, diagonal joints and saw cuts, grass medians, etc.). |
| Lighting | Front entry lighting to project downward and be in consideration of dark sky compliance or soffit canned light, soft 40-60W (or equivalent). Front lighting to project downward and be in consideration of dark sky compliance or soffit canned lights, soft 40-60W (or equivalent). Coach lighting is acceptable. |
| | Yard/Patio floodlights – requires separate ACC approval. Must not cause a nuisance to neighboring owners. Must be mounted in an unobtrusive manner, shall not illuminate neighboring property, and not be operated during late hours. |
| Landscape | Prior to installation of, or modification to landscaping on a lot, a plan must |
| | be approved by the ACC. Full front, side & rear yard landscaping is required within thirty (30) days after house completion, (timing is subject to weather conditions). |

- If proposing utilities and A/C units to be screened by landscaping, proposed plantings to be evergreen.
 - Ground cover for plant beds: medium gray to black rock and/or black or dark brown natural bark is encouraged. Rock may not dominate front landscape.
 - A variety of materials, plant types, textures, colors, sizes, and heights are required.
 - Yew plants and other plants and/ or trees that are harmful to pets and/ or wildlife are not permitted.
 - Disease and pest resistant plants and trees are encouraged.
 - Berming is encouraged (up to 3' high) with trees and shrubs to provide additional landscape character and screening.
 - Parking / Grass Strips: Grass and approved trees per development landscape plan (type and spacing) – to be planted at time of lot landscaping installation. No hydroseeding (sod only).
 - The ACC may approve reduced plant quantities for cul-de-sac lots.

Front Yard:

Interior Lots:

- Trees: (2) deciduous trees and/or evergreen trees. Deciduous shall be 2" min. caliper. Coniferous shall be 8' min. tall when planted
- (15) one-gallon (minimum) bushes or grasses.
- Grass: Standard turf grass for at least 50% of the lot's non-building footprint area. No hydroseeding for lawn areas (sod only)

Rim Lots:

- Trees: 2 to 3 (lot size & orientation dependent) deciduous trees and/or evergreen trees. Deciduous shall be
 - 2" min. caliper. Coniferous shall be 8' min. tall when planted
- 15 to 25 (lot size & orientation dependent) one-gallon (minimum) bushes or grasses.
- Grass: Standard turf grass for at least 50% of the lot's non-building footprint area. No hydroseeding for lawn areas (sod only)

Corner Lots (Side-Street Yard):

- (12) one-gallon (minimum) bushes or grasses.
- Grass: Standard turf grass for at least 60% of the lot's non-building footprint area. No hydroseeding for lawn areas (sod only)
- Landscaping not to impede on site triangle.

Rear and side (interior) yards - combined:

• Trees: At least (1) deciduous tree with a 2" min. caliper or a coniferous tree - 8' min. tall when planted.

• Grass: Standard turf grass for at least 60% of the lot's non-building footprint area. No hydroseeding for lawn areas (sod only) Rear yard (visible from common areas) • Trees: (2) deciduous tress and/or evergreen trees. Deciduous shall be 2 ½" min. caliper. Coniferous shall be 8' min. tall when planted • (12) one-gallon (minimum) bushes or grasses. • Grass: Standard turf grass for at least 50% of the lot's non-building footprint area. No hydroseeding for lawn areas (sod only) **Planter Beds:** Plant bed to be covered with either (a) rock/ pebbles not exceeding one (1) inch in diameter and naturally colored gray, or brown earth tone. Red cinder, white colors rock and bark are not permitted. Natural bark chip not exceeding one (1) inch in diameter is permitted. Other: ACC approval is required for landscape features and elements (including but not limited to, berms, arbors, trellises, security door/gates, etc.). Submit details such as location, style, dimension, materials, colors, etc. Fencing Fences shall not extend into the front yard and shall be a minimum of two feet (2') behind the front corner of the house/garage. Privacy fencing permitted and will be required to match fencing shown on the community fencing master plan. Privacy screening on existing fencing allowed up to a max. of 2' above finished grade. **Detached** Subject to separate ACC approval - Limit of one outbuilding, storage, or garden **Outbuildings** sheds per lot. Must match the house in materials, construction, and color, be site built of dimensional lumber on a permanent foundation and comply with same setbacks as listed above for dwelling, regardless of other city provisions. Additional landscaping may be required. Proposed outbuilding plans & designs to be distributed by the HOA to directly affected heights for their approval. There may be limitation on square footage and or height dependent on location on lot, neighbor feedback, orientation, etc. Up to (2) Detected non-ADUs structures may be permissible depending on lot size, orientation, etc. 3. Accessory dwelling units may only be located to the rear or side of the principal dwelling and shall not be located in front of the front plane of the principal structure unless otherwise permitted as part of a development agreement or PUD approval.

| <u> </u> | | | |
|------------------|----------------------------------------------------------------------------------------------|--|--|
| | 4. Accessory dwelling units must comply with all required setback and lot | | |
| | coverage limitations for the principal dwelling for the underlying zone. | | |
| | 5. Detached accessory dwelling units shall meet minimum building | | |
| | separation standards as described in the building code | | |
| | 6. All accessory dwelling units require a zoning permit to be issued prior to | | |
| | the issuance of a building permit. | | |
| | 7. An existing principal single-family dwelling shall exist on the lot or shall be | | |
| | constructed and shall obtain an occupancy permit prior to or in | | |
| | conjunction with the accessory unit. | | |
| | 8. Only one accessory dwelling unit shall be allowed for each parcel. | | |
| | 9. The exterior design of the accessory dwelling unit will be compatible with | | |
| | , , , , , , , , , , , , , , , , , , , | | |
| | the principal residence on the lot and not detract from the single-family | | |
| | appearance of the lot or obscure and confuse the front entrance of the | | |
| | principal structure. | | |
| | 10. Accessory dwelling units shall comply with the off-street parking | | |
| | requirements for apartment and multi-family dwellings under section <u>8-4-5</u> . | | |
| | 11. The entrance to the accessory dwelling unit shall not be permitted to face | | |
| | toward the street unless the accessory unit is located completely behind the | | |
| | rear plane of the principal structure. | | |
| | 12. The accessory dwelling unit shall not be sold separately. | | |
| | | | |
| Swimming Pools | In-ground swimming pools are permitted provided the plans and specifications | | |
| | are approved by the ACC prior to the start of construction. It is the Lot | | |
| | Owner's responsibility to ensure the location and soils are suitable for the | | |
| | construction of a pool. Plans for pools must be certified by an engineer. Pool | | |
| | equipment is to be screened from view of roadways, sidewalks/pathways, | | |
| | and neighboring lots | | |
| Sprinklers | Underground, automated sprinklers are required. | | |
| Utility Items | Utility meters and AC units shall be screened from street view – screening | | |
| | walls are encouraged. Screening with plant material requires large enough | | |
| | plants at the time of planting to sufficiently screen. | | |
| Antennae/ | Exterior television, radio or other antennae, and satellite dishes require prior | | |
| Satellite | written approval from the ACC. All exterior antenna or satellite dishes shall | | |
| | be screened by a fence, landscaping or equivalent. | | |
| Trash & Recycle | Bins shall be either kept in the garage or located outside behind an ACC | | |
| Bins | approved wall and/or behind plants sufficient in height and foliage density. | | |
| Boats, Campers, | All vehicles, trailers, and equipment shall be stored out of view in an enclosed | | |
| etc. | structure. | | |
| Signage | The style shall be per the approved ACC standard. | | |
| Site Maintenance | Each lot owner is responsible to: | | |
| | Keep lot and streets clean of weeds, construction debris, garbage, dirt, | | |
| | and mud, including during construction. | | |
| | • Keep all site work contained to the lot and not encroach onto sidewalks or | | |
| | into gutter or street or onto adjacent lot(s)/land. | | |
| | Parties Contractors who violate these conditions will be responsible for | | |
| | the clean-up and may be fined by the Grantor or ACC. | | |
| L | ' ' | | |

Construction Construction of the main dwelling and garage shall commence within 12 Time months of lot purchase and shall be completed within 18 months of start of construction. If a construction extension is needed a written appeal may be sent to the ACC for review and consideration. General All contractors and builders must adherer to all Construction SWPPP guidelines and abide by the site standards or **Conditions** fines will be incurred. The following sign will be posted by developer on site: NOTICE TO CONTRACTORS **NO PARKING IN COMMON LOTS- VIOLATORS WILL BE TOWED** AT OWNER'S EXPENSE. THIS IS A RESIDENTIAL AREA. PLEASE KEEP NOISE TO A MINIMUM. **LOT MUST BE CLEANED ON A DAILY BASIS. BUILDING DEBRIS MUST BE PLACED IN TRASH BOX. CONCRETE WASHOUT IN PROVIDED AREA ONLY.** DO NOT TRACK OR ALLOW DEBRIS ON STREET. RESTRICT VEHICLE SPEED IN AND AROUND COMMUNITY. Maintain clean job site. Developer will remove excess dirt and/or debris from roads at the lot owner's expense if necessary. Maintain dumpster, minimum of 8X8, and ensure that it is emptied regularly. Maintain toilet facilities on-site on dirt or grass. Clean-out of concrete is allowed only in the designated washout area. No pets on-site. No loud music — please control sound to only be heard on the construction site. No alcohol or drugs. Fires are not permitted on site. All construction equipment consisting of twelve (12) tons

gross vehicle weight (GVW) and over shall enter the construction site only between the hours 8 am and 7 pm, Monday through Saturday, and prohibited on Sunday.

Revised 12/28/2023

| | Noise and Construction hours dictated by local jurisdiction. | |
|-----------|-----------------------------------------------------------------------|--|
| Variances | Variances may be granted by the ACC provided that the item being | |
| | granted a variance is of a higher quality than the standards and that | |
| | such enhances and is true to the approved architectural style. | |

APPLICATION FOR DESIGN REVIEW

Submit all applications and applicable fees to Dropline Designs at cwhitney@droplinedesings.com

Please note that the review fee is due at time of submittal. Partial submittals will not be accepted*.

*A deferred landscape plan may be submitted, however, an additional \$50 fee for deferment will be incurred.

| Date: | - | | |
|-----------------------------|-------------|-----------------------|------------------|
| Submittal Type: | | | |
| Initial Design Review Sub | omittal | Substantially Re | evised Submittal |
| Alteration Submittal | | Other: | |
| Owner / Builder Information | | | |
| Builder | Email | Pho | one |
| Address | | Zip_ | |
| Owner | Email | Pho | one |
| Address | | Zip_ | |
| Site Information | | | |
| Project Address | | | |
| Lot/Block Number | | Lot Width at Front Se | etback |
| Proposed Plan information | | | |
| Building Height | Number of S | Stories | |
| Total Square Footage | | | |
| Main Floor Livable | | | |
| Second Floor Livable | | | |

| Covered porches & patios | | |
|--------------------------------|------------------|-------|
| Garage | | |
| Total | | |
| Exterior Materials and Colors | | |
| Roof | | |
| Main Body | | |
| Windows/Doors | | |
| Garage | | |
| Door | | |
| Fascia | | |
| Stone /Brick | | |
| | | |
| Other | | |
| | | |
| Proposed Improvements Included | in Submittal | |
| Residential Plan | RV Garage | Solar |
| Accessory Building | Detached Storage | 2 |